In accordance with ISO 14025 and EN 15804:2012+A2:2019

ERW Cold Formed Epoxy Coated Pipes

BF Routed Steel

from

Borusan Pipe



PROGRAMME The International EPD® System www.environdec.com

EPD REGISTIRATION NUMBER S-P-04834 PROGRAMME OPERATOR EPD International AB

PUBLICATION DATE 2022-08-21

REVISION DATE 2024-05-31





An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at: **environdec.com**

LOCAL OPERATOR EPD Turkey

VALID UNTIL 2027-08-20



PROGRAMME INFORMATION

Programme Information

Programme	:	The International EPD® System
Address	:	EPD International AB Box 21060 SE
Website	:	www.environdec.com
E-mail	:	info@environdec.com

Information about verification and reference PCR:

CEN standard EN 15804 serves as the Core Product Categor
Product category rules (PCR) PCR 2019:14 Construction products (EN 15804:A2) Version
PCR review was conducted by The Technical Committee of the International EPD® System. Review chair: Claudia A. Peña, University of Concepción, Ch The review panel may be contacted via the Secretariat www.
Independent third-party verification of the declaration and da
Third party verifier Sunil Kumar SimaPro partners for India & Sri Lanka, SIPL Pvt Ltd
Procedure for follow-up of data during EPD validity involes the Ves Ves Ves

LCA Study & EDP Design Conducted by

Semtrio Sustainability Consulting BUDOTEK Teknopark, No 8/27 Umraniye / Istanbul Turkey www.semtrio.com

Borusan Pipe has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804. For further information about comparability, see EN 15804 and ISO 14025.



E-100 31 Stockholm, Sweeden

ory Rules (PCR)

1.1

See www.environdec.com/TC for a list of members. hile. .environdec.com/contact.

ata, according to ISO 14025:2006:

D verification

Approved by International EPD System Technical Commiee, supported by the Secretariat

hird party verifier:



COMPANY INFORMATION

Owner of the EPD

Borusan Birleşik Boru Fabrikaları San. ve Tic. A.Ş. Ata Mh. Sanayi Cd. No: 54/68 16601 Gemlik/Bursa Contact Ahu OLGUN aolgun@borusan.com

The first industrial enterprise of one of Türkiye's foremost business conglomerates, the Borusan Group, Borusan Pipe, marked its 65th anniversary in 2023. Since its founding on the first day, Borusan Pipe has continued investing in solutions that create value for its partners with a global vision.

Today, Borusan Pipe continues its global business with more than 2,800 employees and offers more than 4,000 product varieties. Its eleven facilities across three continents and high sales volume have placed it on the map as a leading manufacturer in the steel pipe industry in Europe and the world.

Borusan Pipe brings its experience, expertise, and passion worldwide with state-of-the-art pipes addressing all areas ranging from automotive to construction and energy to machinery production. The company continued its investments with a global perspective following market dynamics. It made its first overseas investment in 2001 when it bought the facility in Vobarno and founded Borusan Vobarno Tubi S.p.A. The company then established Borusan Pipe US Inc. in 2014 to manage its Houston Baytown factory investment in the United States. Borusan Pipe US Inc. achieved success soon thanks to its advanced technology and innovative products. It won the "Best Pipe Manufacturer" award given by one of the most prestigious publications in the United States, the American Metal Market, in 2016, 2017, and 2020. In 2023, within the scope of its strategy to become a local player in global markets, Borusan Pipe acquired Berg Pipe, which produces at the highest quality and largest capacity in the USA

Having entered Türkiye's pioneering overseas investors with these breakthroughs, Borusan Pipe seeks investment opportunities in different countries and aims to boost Türkiye's competitiveness.

In addition to its contributions to our country with its exports to various countries in America, Europe, Africa, and Asia, it is also a driving force for the Turkish economy with the development assurance it gives for the coming years.

Having been ranked among Türkiye's top 100 industrial enterprises for 50 years, Borusan Pipe goes beyond merely manufacturing pipes with its thousands of products, reliable service, quality, and the trails it has blazed in Türkiye and the world and builds Türkiye's future. It delivers a sustainable society with management policies, a developed country, and a secure future with large-scale investments.





Production Site


Gemlik Ata Mah. Sanayi Cad. No: 54/68 16601 Gemlik/Bursa



- Solution States and St
- Workforce of 1,800 people
- Has its own port (Borusan Port) adjacent to the mill, which brings operational flexibility in terms of logistics inbound and outbound
- Sole 24.5 m single seam API/ISO/EN large diameter line pipe producer in Europe
- Solution So

Corporate Structure

BMB Holding A.Ş. owns 73,48% shares of Borusan Pipe and the remainder 26,52% is publicly traded. Borusan Pipe is the first industrial organization of the Borusan Group, one of Türkiye's foremost business conglomerates.







06

PRODUCT INFORMATION

Product Name

ERW Cold Formed Epoxy Coated Pipes

ERW Water Pipes Production Standards & Material

Qualities

- Production Norms EN 10224, EN 10255, ISO 65, ASTM A 53, ASTM A 795, ASTM A 589, EN 10217-1
- Production Standard For Threading and Coupling ٠ (1/2"-6")
 - ISO 7/1, ANSI B.1.20.1, EN 10255
- Grooving (3/4"-12") according to Victaulic Standard.
- Medium Series Pipes can be used up to 25 bar operating pressure for water. ٠

Production Standards & Material

- Visual and Dimensional Inspection •
- Leak tightness testing: Hydrostatic Test, Eddy Current Test

Well Casing Pipes

Production Standards & Material Qualities

- ASTM A 589 Type I, II, III, IV •
- Production Standard ٠
- Reliable High Steel Quality
- From Grade A or Grade B Material •
- Weldable
- Threadable

Tests & Certificates

- Visual and Dimensional Inspection •
- Leak tightness testing: Hydrostatic Test, Eddy Current Test •
- Destructive Tests: Flattening, Bending ٠
- Mechanical Tests •



- Chemical Analysis
- Metallographic Examination
- Others as required by the standards •
- Mill Test Certificates
- Issued upon request according to - EN 10204 2.1; 2.2; 3.1; 3.2
- NDT Standards:
 - ET (EN ISO 10893-2), ET (ASTM E309

Circular Hollow Section Tests & Certificates

- Visual and Dimensional Inspection
- Mechanical Tests: Tensile Test Flattening Test, Flaring Test Expanding Test Impact Test
- Metallographic Examination
- Chemical Analysis •
- tubes)
- Mill Test Certificates According to EN 10204 2.1; 2.2; 3.1; 3.2
- NDT Standards ET (ISO 10893-2)
- Quality Certificates EN 10219 EN10210 CE marked

Finishing Operations

Plain End-Square cut or bevelled Black, self-colored/uncoated Mill protective oil coating; for both round, square and rectangular tubes, black varnish for outside surface of round tubes.

Sizes

ERW Water Pipes	Piling Tubes
Outside Diameter 21.3mm - 339.7mm	Outside Diameter 21.3mm - 339.7mm
Wall Thickness	Wall Thickness

Wall Thickness 1.9mm - 12.7mm

Wall Thickness 1.9mm - 12.7mm

Length 3.00m - 13.00m Length 3.00m - 13.00m

Non Destructive Inspection: In-Line Ultrasonic (weld check) In-Line and offline Eddy Current (for round

Well Casing Pipes

Outside Diameter 33.4mm - 323.9mm

Wall Thickness 1.9mm - 12.7mm

Length 3.00m - 13.00m

Circular Hollow Section


Outside Diameter 21.3mm - 339.7mm

Wall Thickness 1.9mm - 12.7mm

Length 3.00m - 13.00m

Technical Specifications

Production Standards	Steel Grades
ERW Water Pipes	
TS EN 10255+A1	S195T
TS EN 10217-1	P195 TR1-TR2, P235 TR1-TR2, P265 TR1-TR2
ASTM A53 - ASTM A795	GrA, GrB
Well Casing Pipes	
ASTM A 589 Type I, II, III, IV	Grade A or Grade B
Circular Hollow Section	
EN 10305-3	E 155 - E 700
BS EN 10029	GR 43 C
ASTM A 500	GR A, GR B, GR C
EN 10219 (BS 6363), EN 10210-2	S 235, S 275, S 355, S 460 MH, NH (J0H, JRH, J2H, K2H, GR 34/26, GR 43/36)



LCA Information

Declared unit

1 tonne (1000kg) of fabricated steel product manufactured in Gemlik facility (TR).

Reference service life

Not applicable

Time representatives

The production data in this LCA study represents the period of 1st January 2021 and 30th September 2021.

Database(s) and LCA software used

Simpro v9.2 and Ecoinvent v3.7.1

Description of system boundaries

Cradle to gate (A1-3) with options, modules C1-C4, module D.

Data quality and data collection

According to EN 15804:2012+A2:2019 specific data was used for module A3 (Processes the manufacturer has influence over) and was gathered from Borusan Gemlik plant. Specific data includes actual product weights, amounts of raw materials used, product content, energy consumption, transport figures, water consumption and amounts of wastes. For A1 and A2 modules, according to EN 15804:2012+A2:2019, generic data was applied and was obtained from Ecoinvent v3.7.1

Allocation

Mass allocation has been applied for preconsumer recycled materials according to EN 15804:2012+A2:2019.

Cut-off rules

Life Cycle Inventory data for a minimum of 99% of total inflows to the three life cycle stages have been included and a cut-off rule of 1% regarding energy, mass and environmental relevance was applied. Impacts caused by treatment operations have been calculated lower than 1% environmental relevance.

Modules declared, geographical scope, share of specific data (in GWP-GHG indicator) and data variation


	Pr	oduct Sta	ige	Constr Proces			Use Stage				End of Life Stage			Resource Recovery Stage			
X Declared ND Not Declared	Raw Material Supply	Transport	Manufacturing	Transport from the gate to the site	Assembly	Use	Maintanence	Repair	Replacement	Refurbisment	Operational Energy Use	Operational Water Use	De-construction	Transport	Disposal	Waste Processing	Reuse - Recovery - Recycling Potential
Modules	A1	A2	A3	A4	A5	B1	B2	В3	B4	B5	B6	B7	C1	C2	C3	C4	D
Modules Declared	х	х	х	ND	ND	ND	ND	ND	ND	ND	ND	ND	x	х	х	х	x
Geography	GLO	GLO	TR	_	_	_	_	_	_	-	_	_	GLO	GLO	GLO	GLO	GLO
Specific data used		>99.5%		-	-	-	-	-	-	-	-	-	-	-	-	_	-
Variation- products	N	lot Releva	nt	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Variation-sites	N	lot Releva	nt	_	_	_	_	_	_	_	_	_	_	_	_	_	_

System Diagram

(
	A1		A2
1	Hot Rolled Coil S	teel	Transpor
	Other Raw Mater	ial	
	Coating Material		A 3
l			ERW Wel
	<u>C1</u>	<u>C2</u>	
	De- construction	wast	sport to e essing

Resource Recovery Stage

D





A1 - Raw Materials Supply

This stage takes into account raw material extraction, processing and energy used in the production process.

A2 - Transport to the Manufacturer

This stages include transportation of the raw materials from supplier to factory gate. Transportation types are considered as seaway, road, etc.

A3 - Manufacturing

This stage includes energy and water consumption during the manufacturing process. Additionally, packaging materials are covered by this stage. Followed production processes are as;

- Tape slitting section ٠
- Welding •
- Coating •

C1 - De-construction

The dismantling of steel pipe has a very low impact considering the impact throughout the life of the installation. It is assumed that, in C1 module, same electricity and diesel is consumed as during the construction installation of steel pipe.

C2 - Transport to Waste Processing

An average distance of 100km has been assumed for the transport to recycling facility. Transport is calculated on the basis of a scenario with the parameters described in the table below.

Parameters C2 Module

Transport by road* Lorry >32 metric ton

Distance (km) 100

Database Ecoinvent v3.7.1

*Technology is euro 6

C3 - Waste Processing for Reuse, Recovery and/or Recycling

The material and energy expenses required for Module C3 are negligible. It is assumed that there is no sorting or processing required for steel pipes.

C4 - Final Disposal

100% of used product after the lifetime will be collected and recycled into the manufacturing system. It is assumed that 5% of the product is lost during deconstruction and 95% is reached to recycling system.


D - Reuse, Recovery or Recycling Potential

Scrap inputs to the production stage are substracted from scrap to be recycled at end of life in order to obtain the net scrap output from the product system. This remaining net scrap is then delivered to recycling process. Module D reports the environmental aspects of recycled scrap generated at the end of life minus that used at the production stage.

Information on Which Life Cycle Stages Are Not Considered

This EPD only covers the Cradle to Gate A1-3, C1-4 and D stages because other stages are very dependent on particular scenarios and are better developed for specific building or construction works.

Content Declaration



*The product does not content "Candidate List of Substances of Very High Concern (SVHC)" compounds.



n of 1	000kg of ERW Steel Pipe
	Share
	99.0 - 99.9%
	0%
	0%
	0.1 - 1%

ENVIRONMENTAL PERFORMANCE

Potential Environmental Impact

Mandatory Indicators According to EN 15804


Results for 1000kg of ERW Steel Pipe													
Indicator	Unit	A1:A3	C1	C2	C3	C4	D						
GWP-fossil	kg CO2 eq	2455	1.28	8.67	0	0.262	-1647						
GWP-biogenic	kg CO2 eq	20.1	0.031	0.019	0	8.13E-04	-8.83						
GWP-luluc	kg CO2 eq	1.23	1.65E-03	2.53E-03	0	7.12E-05	-0.757						
GWP-total	kg CO2 eq	2476	1.31	8.70	0	0.263	-1657						
ODP	kg CFC 11eq	1.23E-04	7.22E-08	2.13E-06	0	1.08E-07	-7.34E-05						
АР	mol H+ eq	10.5	6.19E-03	0.027	0	2.48E-03	-6.97						
EP-Freshwater	kg PO43- eq	1.17	7.86E-04	3.03E-03	0	3.32E-04	-0.750						
EP- Aquatic Freshwater	kg P eq	0.116	9.32E-05	6.50E-05	0	2.76E-06	-0.070						
EP-Marine	kg N eq	2.17	1.28E-03	6.11E-03	0	8.60E-04	-1.44						
EP-Terrestrial	kg N eq	24.1	0.012	0.068	0	9.47E-03	-15.9						
POCP	kg NMVOC eq	11.0	4.50E-03	0.027	0	2.75E-03	-7.13						
ADP-minerals & metals*	kg Sb eq	0.033	9.24E-06	2.12E-05	0	5.87E-07	-0.024						
ADP-fossil*	MJ	26194	18.9	141	0	7.35	-16065						
WDP	m3	766	0.995	0.466	0	0.330	-299						

GWP-fossil = Global Warming Potential fossil fuels; **GWP-biogenic** = Global Warming Potential biogenic; **GWP-luluc** = Global Warming Potential land use and land use change; **ODP** = Depletion potential of the stratospheric ozone layer; **AP** = Acidification potential, Accumulated Exceedance; **EP-freshwater** = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; **EP-marine** = Eutrophication potential, fraction of nutrients reaching marine end

compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of

tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.



Potential Environmental Impact

Additional Mandatory and Voluntary Indicators

	Results for 1000kg of ERW Steel Pipe													
Indicator	Unit	A1:A3	C1	C2	СЗ	C4	D							
GWP-GHG ¹	kg CO2 eq	2363	1.23	8.59	0	0.258	-1584							
Results for 1000kg of ERW Steel Pipe														
РМ	[disease inc]	1.64E-04	3.89E-07	7.57E-07	0	4.84E-08	-1.20E-04							
IRP	[kBq U235 eq]	57.6	0.110	0.620	0	0.030	-27.2							
ET-freshwater	[CTUe]	63255	30.8	108	0	4.62	-45356							
HT-cancer	[CTUh]	1.45E-05	3.57E-08	3.31E-09	0	1.38E-10	-1.00E-05							
HT-non-cancer	[CTUh]	5.36E-05	3.17E-08	1.12E-07	0	2.88E-09	-3.67E-05							
SQP	[pt]	11161	4.80	162	0	15.4	-7702							

GWP-GHG = Global Warming Potential total excl. biogenic carbon following IPCC AR5 methodology; **IRP** = Ionizing radiation, human health; **ET-freshwater** = Eco-toxicity (freshwater); **HT-cancer** = Human toxicity, cancer effects; **HT-non-cancer** = Human toxicity, non-cancer effects; **SQP** = Potential soil quality index (SQP)

1 The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.

Use of Resources

Results for 1000kg of ERW Steel Pipe												
Indicator	Unit	A1:A3	C1	C2	СЗ	C4	D					
PERE	kg CO2 eq	2536	2.22	1.72	0	0.059	-1594					
PERM	kg CO2 eq	0	0	0	0	0	0					
PERT	kg CO2 eq	2536	2.22	1.72	0	0.059	-1594					
PENRE	kg CO2 eq	27729	20.0	150	0	7.81	-17000					
PENRM	kg CFC 11eq	0	0	0	0	0	0					
PENRT	mol H+ eq	27729	20.0	150	0	7.81	-17000					
SM	kg N eq	1047	0	0	0	0	0					
RSF	kg N eq	0	0	0	0	0	0					
NRSF	kg NMVOC eq	0	0	0	0	0	0					
FW	kg Sb eq	93.7	0.170	0.129	0	0.012	-38.3					

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; **PERM** = Use of renewable primary energy resources used as raw materials; **PERT** = Total use of renewable primary energy resources; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; **PENRM** = Use of non-renewable primary energy resources used as raw materials; **PENRM** = Use of non-renewable primary energy resources used as raw materials; **PENRM** = Use of non-renewable primary energy resources used as raw materials; **PENRM** = Use of non-renewable primary energy resources used as raw materials; **PENRM** = Use of renewable primary energy resources; **SM** = Use of secondary material; **RSF** = Use of renewable secondary fuels;

NRSF = Use of non-renewable secondary fuels; **FW** = Use of net fresh water



Differences versus Previous Versions This EPD has been revised to reflect the organizational name change, the renewed company logo and the updated official company website address.



Waste Production

Results for 1000kg of ERW Steel Pipe												
Indicator	Unit	A1:A3	C1	C2	СЗ	C4	D					
Hazardous waste disposed	kg	3.30E-03	0	0	0	0	0					
Non-hazardous waste disposed	kg	0.274	0	0	0	0	0					
Radioactive waste disposed	kg	0	0	0	0	0	0					

Output Flows

Results for 1000kg of ERW Steel Pipe												
Indicator	Unit	A1:A3	C1	C2	C3	C4	D					
Component for re-use	kg	0	0	0	0	0	0					
Materials for recycling	kg	72.4	0	0	0	950	0					
Materials for energy recycling	kg	7.06	0	0	0	0	0					
Exported energy, electricity	MJ	0	0	0	0	0	0					
Radioactive waste disposed	MJ	0	0	0	0	0	0					



REFERENCES

ISO 14020:2000

Environmental labels and declarations -- General principles

ISO 14040:2006 Environmental management -- Life cycle assessment -- Principles and framework

ISO 14044:2006 Environmental management -- Life cycle assessment -- Requirements and guidelines

ISO 14025:2006 Environmental labels and declarations -- Type III environmental declarations -- Principles and procedures

EN 15804:2012+A2:2019 Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction product

The International EPD® System www.environdec.com

The International EPD® System The General Programme Instructions v3.01 The International EPD® System PCR 2029:14 Construction products v1.1 (EN 15804:A2)

Ecoinvent 3.7.1 www.ecoinvent.org

SimaPro LCA Software www.simapro.com

Borusan Pipe https://borusanboru.com/en

CONTACT

Third party verfier

Sunil Kumar SimaPro partners for India & Sri Lanka +91-9911921666 SIPL Pvt Ltd www.sipl-sustainability.com

Owner of Declaration

Borusan Birleşik Boru Fabrikaları San. ve Tic. A.Ş. Ata Mh. Sanayi Cad. No: 54/68 16601 Gemlik/Bursa https://www.borusanboru.com

LCA Study & EDP Design Conducted By

Semtrio Sustainability Consulting BUDOTEK Teknopark, No 8/27 Umraniye/Istanbul Turkey www.semtrio.com









borusanboru.com